EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L19	14	(non$preempt$4 non adj preempt$4) with schedul$3 with (dead$line dead adj line)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:14
L20	16	(non$preempt$4 non adj preempt$4) with schedul$3 with (sporad$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:17
L21	21	(non$preempt$4 non adj preempt$4) with schedul$3 with (period$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:18
L22	5	21 not 20	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:17
L23	198	(non$preempt$4 non adj preempt$4) with schedul$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:18
L24	56	(non$preempt$4 non adj preempt$4) with schedul$3 and (dead$line dead adj line)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:21
L25	15	24 and @ad < "19980807"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:21
L26	20	atomic near2 (task segment code) same schedul$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39
L27	6459	(709/223).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/24 16:39
L28	1540	(718/102).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/24 16:39
L29	459	(718/101).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/24 16:39
L30	882	(719/318).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/24 16:39
L31	622	(718/103).CCLS.	US-PGPUB; USPAT	OR	OFF	2007/09/24 16:39
L32	52	schedul$3 with (non$pre$empt$3 non$interrupt$3) with (thread job task process) and (thread job task process) with (due dead$line start adj time)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39
L33	398	schedul$3 with (real$time nonpreempt$3 non$interrupt$3) with (thread job component process) and (component thread job process) with (compris$3 includ$3 contain$3 set plurality many) near2 (function task action instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39

L34	438	schedul$3 with (real$time nonpreempt$3 non$interrupt$3) with (thread job component process task) and (thread job process) with (compris$3 includ$3 contain$3 set plurality many) near2 (function task action instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39
L35	516	schedul$3 with (real$time nonpreempt$3 non$interrupt$3) with (thread job component process task) and (thread job process) with (compris$3 includ$3 contain$3 set plurality many) with (function task)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39
L36	1418	schedul$3 with (real$time nonpreempt$3 non$interrupt$3) with (thread job component process task) and (thread job component process task) with (function task instruction)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON ,	2007/09/24 16:39
L37	103	schedul$3 with (real$time nonpreempt$3 non$interrupt$3) with (thread job component process task) and (thread job component process task) with (due deadline start time) with (id identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39
L38	44	schedul$3 near2 (real$time nonpreempt$3 non$interrupt$3) with (thread job component process task) and (thread job component process task) with (due deadline start time) with (id identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39
L39	222	schedul$3 near2 (real$time nonpreempt$3 non$interrupt$3) and (thread job component object process task) with (due deadline start time) same (id identifier)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39
L40	125	schedul$3 with (real$time nonpreempt$3 non$interrupt$3) and (thread job component object process) with (group set plurality) with (task) with (due deadline start time)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39
L41	24	schedul$3 with (real$time nonpreempt$3 non$interrupt$3) same (process job thread) with (group set plurality) with (task function) with (due deadline start time)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39
L42	73	schedul$3 with (real$time nonpreempt$3 non$interrupt$3) same (component object process) same (task) same (due deadline start time) same (priority preference)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39
L43	3	schedul$3 same (real$time nonpreempt$3 non$interrupt$3) same (component object process) same (task) same (due deadline start time) same (priority preference) and interupt and event	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39
L44	425	schedul$3 same (real$time nonpreempt$3 non$interrupt$3) same (component object process) same (task) same (due deadline start time)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39
L45	122	schedul$3 same (real$time nonpreempt$3 non$interrupt$3) same (component object process) same (task) same (due deadline start time) same (priority preference)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/24 16:39

S1	395	schedul$3 same (real$time nonpreempt$3 non$interrupt$3) same (component object process) same (task)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:01
S50	29	schedul$3 same (real$time nonpreempt$3 non$interrupt$3) same (component object process) same (task) same (dead$line)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:46
S51	29	schedul$3 same (real$time nonpreempt$3 non$interrupt$3) same (component object process) same (sub$task task) same (dead$line)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:06
S52	10	S51 and @ad < "19980807"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:08
S53	29	schedul$3 same (real$time nonpreempt$3 non$interrupt$3) same (job process) same (sub$task task) same (dead$line)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:06
S54	171	schedul$3 same (real$time nonpreempt$3 non$interrupt$3) same (sub$task task) same (dead$line)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:07
S55	0	schedul$3 same (real$time nonpreempt$3 non$interrupt$3) same (sub$task task) same (dead$line) same (event state alert messag$3) near2 propagat$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:07
S56	0	schedul$3 same (real$time nonpreempt$3 non$interrupt$3) same (sub$task task) same (dead$line) and (event state alert messag$3) near2 propagat$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:08
S57	18	schedul$3 same (real$time nonpreempt$3 non$interrupt$3) same (sub$task task) same (dead$line) and (event state alert messag$3) near2 (propagat$3 depend$3 forward$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:18
S58	6	S57 and @ad < "19980807"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:10
S59	30	S54 and @ad < "19980807"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:19
S60	2	(nonpreempt$3 non$interrupt$3) same (sub$task task) same (dead$line) and (event state alert messag$3) near2 (propagat$3 depend$3 forward$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:18

S61	108	(real$time non$pre$empt$3 non$interrupt$3) same (sub$task task) same (dead$line) and (event state alert messag$3) near2 (propagat$3 depend$3 forward$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:19
S62	103	(real$time non$pre$empt$3 non$interrupt$3 atomic$3) with (sub$task task) same (dead$line) and (event state alert messag$3) near2 (propagat$3 depend$3 forward$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:19
S63	5	S62 and @ad < "19980807"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:46
S64	7	schedul$3 same (non$pre$empt$3 non$interrupt$3) same (job process) same (task) same (dead$line)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:46
S65	25	schedul$3 same (non$pre$empt$3 non$interrupt$3) same (job process task) same (dead$line)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:52
S66	8	S65 and @ad < "19980807"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:53
S67	26	schedul$3 same (non$pre$empt$3 non$interrupt$3 atomic$4) same (job process task) same (dead$line)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:56
S68	29	(nonpreempt$3 non$interrupt$3 atomic$4) same (job process task) same (dead$line)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:53
S69	9	S68 and @ad < "19980807"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:56
S70	7	schedul$3 same (non$pre$empt$3 non$interrupt$3) and (atomic$4) same (job process task) same (dead$line)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:56
S71	7	S70 and @ad < "19980807"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2007/09/20 15:56

Web   Images   Video   News   Maps   Gmail   more ▾

Google

"non-preemptive scheduler" deadline event tas Search

Advanced Search
Preferences

New! View and manage your web history

Web   Results **1 - 50** of about **120** for "**non-preemptive scheduler**" **deadline event task**. (0.15 seconds)

[PDF] Scheduling Non-Preemptive Periodic Tasks in Soft Real-Time Systems ...
However, a **non-preemptive scheduler** executes the. currently running **task** to
completion before ... **Deadline** First (EDF) which is a well studied scheduling ...
ieeexplore.ieee.org/iel5/10852/34193/01630460.pdf - Similar pages

> [PDF] OCRed document
> A set of predefined **events** is. offered to the specifier, like for example: the begin of. a
> new **task** occurrence, the reaching of a **deadline**, the ...
> ieeexplore.ieee.org/iel2/3524/10604/00492172.pdf?arnumber=492172 - Similar pages
> [More results from ieeexplore.ieee.org]

[PDF] On Non-Preemptive Scheduling of Periodic and Sporadic Tasks
File Format: PDF/Adobe Acrobat - View as HTML
implementation of a **non-preemptive scheduler** will be ...... time interval may elapse
between a **task's deadline** and its. next invocation. ...
beru.univ-brest.fr/~singhoff/cheddar/publications/jeffay91.pdf - Similar pages

> This file lists the fixed bugs for each release of Cheddar ...
> With user-defined scheduler, **tasks.deadline** can not be changed by .sc ..... Fix a bug
> at **event** table export with **non preemptive scheduler** and fixed ...
> beru.univ-brest.fr/~singhoff/cheddar/FIXED_BUGS.txt - 22k - Cached - Similar pages
> [More results from beru.univ-brest.fr]

Scheduling (computing) - Wikipedia, the free encyclopedia
Scheduled **tasks** are sent to mobile devices and managed through an .... operating
systems use a simple **non-preemptive scheduler** which requires programmers to ...
en.wikipedia.org/wiki/Scheduling_(computing) - 36k - Cached - Similar pages

[PDF] A Generic Simulator of Real-Time Scheduling Algorithms
while this may not happen with a **non-preemptive scheduler**. ..... Out("**Task** "); Out
(**Event-Task**);. Out(" Has reached his **deadline**\n"); ...
doi.ieeecomputersociety.org/10.1109/SIMSYM.1996.492172 - Similar pages

> [PDF] Evolving real-time systems using hierarchical scheduling and ...
> a **non-preemptive scheduler**, then neither **task** can preempt. the other. ..... real-time
> **deadline** is that posting a TinyOS **task**, which dis- ...
> doi.ieeecomputersociety.org/10.1109/REAL.2003.1253251 - Similar pages
> [More results from doi.ieeecomputersociety.org]

[PPT] Process Partitioning of Dataflow Applications
File Format: Microsoft Powerpoint - View as HTML
Blocks with more than one output link must be the end of a **task** only when immediate
successor with shortest **deadline** already belongs to a **task** ...
www1.isti.cnr.it/ERI/VIIIworkshop/cesare.ppt - Similar pages

[PDF] PERFORMANCE OF REAL/IX - FULLY PREEMPTIVE REAL TIME UNIX
REAL-TIME **TASK**. Priority-driven (**non-preemptive**) **scheduler** ... Real-time
processes are waiting for some real-world **event** to occur in order to be. activated. ...
portal.acm.org/citation.cfm?doid=70730.70738 - Similar pages

> [PDF] Implementing Real-Time services in MINIX
> these **events** within a maximum time (the **task deadline**). ... A **non preemptive**
> **scheduler** could lead to run a low. priority **task** while a high priority **task** is ...
> portal.acm.org/citation.cfm?doid=206826.206846 - Similar pages
> [More results from portal.acm.org]

[XLS] Core System Model
File Format: Microsoft Excel - View as HTML
tasks communicate via FIFO-channels with blocking read / non-blocking write ...
Periodic and sporadic **events** with jitter, offset, period, and **deadline**. ...
www.tik.ee.ethz.ch/~leiden05/data/overview/MethodsOverview.xls - Similar pages

[PDF] On a NIC's Operating System, Schedulers and High-Performance ...
File Format: PDF/Adobe Acrobat - View as HTML
In EDF, the **task** with the earliest **deadline** is chosen for execution. ... which can be
used to enhance any given **non-preemptive scheduler**. This scheme uti- ...
www.cs.huji.ac.il/~dolev/pubs/huji-dolev-hpcc06-selfcopy.pdf - Similar pages

[PDF] **Task**/**Scheduler** Logic: Reasoning about Concurrency in Component ...
File Format: PDF/Adobe Acrobat - View as HTML

if, for example, a scheduler providing an **event**-processing ..... mon scheduler to two
tasks is a **non-preemptive scheduler,**. then neither **task** can preempt ...
www.cs.utah.edu/~regehr/papers/tsl/tsl-pdf.pdf - Similar pages

[PDF] Evolving real-time systems using hierarchical scheduling and ...
File Format: PDF/Adobe Acrobat - View as HTML
a **non-preemptive scheduler**, then neither **task** can preempt. the other. ..... short
deadline: if the SPI interrupt is not handled within 22 ...
www.cs.utah.edu/flux/papers/cee-rtss03/rtss03-preprint.pdf - Similar pages
[More results from www.cs.utah.edu]

[DOC] Paper para Sigops
File Format: Microsoft Word - View as HTML
A **non preemptive scheduler** could lead to run a low priority **task** while a high ... The
sporadic **tasks** will have only one instance, with a certain **deadline** to ...
www.dc.uba.ar/people/proyinv/cso/rt-minix/rt-sched.doc - Similar pages

Embedded.com - Context Switch
An alternative kind of preemptive **task** scheduler is called a **deadline** scheduler. This
kind of scheduler tries to give execution time to the **task** that is ...
www.embedded.com/story/OEG20010222S0038 - 54k - Cached - Similar pages

[PDF] "A Survey of Task Schedulers"
File Format: PDF/Adobe Acrobat - View as HTML
non-preemptive scheduler. And such a scheduler gobbles up lots of RAM memory
for .... An alternative kind of preemptive **task** scheduler is called a "**Deadline** ...
claraty.jpl.nasa.gov/archive/2006_embedded_systems_conference/
TechSeminars/docs/pdf/papers/446paper.pdf - Similar pages

[PS] Multi-Processor Schedulability Analysis of Preemptive Real-Time ...
File Format: Adobe PostScript - View as Text
A **non-preemptive scheduler** (but possibly variable execution time and feed- .....
task can miss its **deadline** as long as the halt location is not visited. ...
user.it.uu.se/~pavelk/publications/krcal07multiprocessor.ps - Similar pages

[PS] Multi-Processor Schedulability Analysis of Preemptive Real-Time ...
File Format: Adobe PostScript - View as Text
with variable **task** execution times and a **non-preemptive scheduler**, the ...... **task**
can miss its **deadline** as long as the halt location is not visited. ...
stigge.org/martin/pub/ksy07varextime.ps - Similar pages

[PS] Schedulability Analysis with Variable Computation Time of Tasks
File Format: Adobe PostScript - View as Text
and **deadline** is projected out.) Let P be the set of **task** types, then Q ..... A **non-
preemptive scheduler** (but possibly variable execution time and ...
stigge.org/martin/pub/varextime_report.ps - Similar pages

[PDF] Context Switch, 02/2001
File Format: PDF/Adobe Acrobat - View as HTML
Deadline scheduler. Periodic and non-periodic. Polled and. **tasks** ..... than any **non-
preemptive scheduler**. And such a scheduler gobbles up lots ...
www.ece.cmu.edu/~ece348/reading/kalinsky01_context_switch.pdf - Similar pages

[PDF] Basic Concepts
File Format: PDF/Adobe Acrobat - View as HTML
Urgency The **task deadline** allows the specification of the urgency of data ..... first-in-
first-out **non-preemptive scheduler**. So, with this processor, ...
media.wiley.com/product_data/excerpt/62/04708476/0470847662.pdf - Similar pages

CPU Scheduling
next **task** is the one with the earliest **deadline**. maybe even if the **task** is not yet
ready. starting deadlines only, use **non-preemptive scheduler** ...
www.cse.psu.edu/~dheller/cse411/notes/OSC/CPUscheduling.html - 31k -
Cached - Similar pages

[PDF] Chapter 4 EMBEDDED OPERATING SYSTEMS, MIDDLEWARE, AND SCHEDULING
Proof: Let us assume that an optimal **non-preemptive scheduler** (not having .....
pendent **tasks** and a given **deadline** is NP-complete [Garey and Johnson, 1979]. ...
www.springerlink.com/index/n4218431l3261868.pdf - Similar pages

[PDF] An Integrated Approach to Scheduling in Safety-Critical Embedded ...
For example with a **non-preemptive scheduler**, **tasks** cannot be interfered with ......
The relative **deadline** is classed as the **task's deadline** minus ...
www.springerlink.com/index/NR252704J862HXX5.pdf - Similar pages
[More results from www.springerlink.com]

[PS] Experimentation with Congurable, Lightweight Threads on a KSR ...
File Format: Adobe PostScript - View as Text
ration as a preemptive (using signalling) vs. **non-preemptive scheduler**. ...
scheduling (for example Earliest **Deadline** First or multiprocessor ...

ftp://ftp.cc.gatech.edu/pub/coc/tech_reports/1993/GIT-CC-93-37.ps.Z - Similar pages

[PDF] Fixed priority and offline scheduling
File Format: PDF/Adobe Acrobat - View as HTML
The CAN-bus has priority arbitration and a **non-preemptive scheduler**. ..... may be
the most critical **task** that misses its **deadline** first, and it can go from ...
www.md.kth.se/RTC/RTCC/Material01/Lectures/scheduling_part_2.pdf -
Similar pages

[PS] Software Synthesis for Real-Time Information Processing Systems ...
File Format: Adobe PostScript - View as Text
choice of the **non-preemptive scheduler**. The approach taken in the. CHINOOK.
system suers ..... sult of a synthesis **task** still satises all constraints. ...
ftp://ftp.cs.umd.edu/pub/realtime/sigplan95/thoen.ps.Z - Similar pages

[PDF] CSE 380 - Operating Systems Scheduling
File Format: PDF/Adobe Acrobat - View as HTML
Non-preemptive scheduler doesn't. • What are we trying to optimize? .... Under
normal load, all deterministic (hard **deadline**) **tasks** ...
www.crypto.com/courses/fall04/cse380/20040930.pdf - Similar pages

Intro to System Software, Chapter 16
The data structures needed by a coroutine based **non-preemptive scheduler** are ......
scheduler process priority queue **task** shortest **deadline** first scheduler ...
www.cs.uiowa.edu/~jones/syssoft/notes/16sched.html - 76k - Cached - Similar pages

[PS] Real-Time Scheduling for Java
File Format: Adobe PostScript - View as Text
The **deadline** is usually measured relatively to the release time of. that instance. ....
non-preemptive scheduler, the **task** of scheduling becomes NP-hard. ...
flex-compiler.csail.mit.edu/Harpoon/papers/cata-thesis.ps - Similar pages

[PS] Scheduling Mechanisms Reducing Contention Situations in Multimedia ...
File Format: Adobe PostScript - View as Text
cessing is finished before the **deadline**, hence, the worst-case jitter does not
deteriorate ..... While the **non-preemptive scheduler** rejects the process set, ...
ftp://ftp.kom.e-technik.tu-darmstadt.de/pub/papers/ibm-enc/idms96.ps.gz -
Similar pages

[PS] Pre-Scheduling: Balancing between Static and Dynamic Schedulers f g
File Format: Adobe PostScript - View as Text
time-driven and **event**-driven **tasks** with short deadlines. ..... in nding a **non-**
preemptive scheduler. However, sporadic **tasks** are not considered in these ...
www.cs.utexas.edu/users/mok/RTS/papers/pre-scheduling.ps.gz - Similar pages

[PS] Making Paths Explicit in the Scout Operating System David ...
File Format: Adobe PostScript - View as Text
it is easy to determine the its processing **deadline**, how many CPU cycles need ....
Scout uses a **non-preemptive scheduler** because it meets our needs and is ...
ftp://ftp.cs.arizona.edu/reports/1996/TR96-05.ps - Similar pages

[PS] Fbufs [6] are a path-oriented buffer management ...
File Format: Adobe PostScript - View as Text
"priority" in terms of a **deadline**. We present an example. of this in the next section.
Scout uses a **non-preemptive scheduler** because it ...
ftp://ftp.cs.arizona.edu/xkernel/Papers/paths.ps - Similar pages

[PDF] Timed Automata Based Analysis of Embedded System Architectures
File Format: PDF/Adobe Acrobat - View as HTML
deterministic **non-preemptive scheduler**, which is in most .... that the **deadline** for
the next **event** may be incremented by. P time units. ...
https://pms.cs.ru.nl/iris-diglib/src/getContent.php?id=2006-Hendriks-TimedAutomata -
Similar pages

[PS] Towards Real-Time Performance in a Scalable, Continuously ...
File Format: Adobe PostScript - View as Text
of the blocks are updated as a low priority **task** in the. background. ... portable **non-**
preemptive scheduler. The DBMS con-. sists of a single user process on ...
www.eng.uci.edu/faculty/klin/rtdb/THK.ps - Similar pages

[PPT] Codesign
File Format: Microsoft Powerpoint - View as HTML
Highest priority **task** to dispatch trigger **events** and execute reactions; Strictly obey
the .... **Non-preemptive scheduler**; Performance profiler. POSIX Thread ...
peace.snu.ac.kr/courses/codesign03/data/c8_embeddedSW.ppt - Similar pages

[PDF] REAL-TIME SYSTEM SCHEDULING
File Format: PDF/Adobe Acrobat - View as HTML
any other **non-preemptive scheduler**. 3.2.2. Least Laxity. The laxity of a process is

defined as the **deadline** minus remaining computation time. With the ...
www.gii.upv.es/personal/alfons/docencia/doct2006/tema2/YCS134.pdf - Similar pages

[PDF] An Improved Scheduling Technique for Time-Triggered Embedded Systems
File Format: PDF/Adobe Acrobat - View as HTML
ple **non-preemptive scheduler** located in each processing ...... not meet the
deadline) using PCP as a priority function,. while using PCP2 we obtained 109 ms ...
www.artes.uu.se/events/gsconf99/paupo_artes99.pdf - Similar pages

Method, apparatus and computer program product for borrowed ...
Deadline scheduling techniques allow an element to declare its future ..... the
techniques described herein to **non-preemptive scheduler** mechanisms such that ...
www.patentstorm.us/patents/7065762-description.html - 89k - Cached - Similar pages

[PDF] ESIC Reference Documentation
File Format: PDF/Adobe Acrobat
for a specific **event** to occur or that the **task** is done. ..... A **non preemptive
scheduler** assumes that all processes are single-shot. Such ...
www.embeddedartists.com/download/pdf/refDoc_rtos.pdf - Similar pages

[PS] The Framework of User-Centric Optimization in Web-Based Applications
File Format: Adobe PostScript - View as Text
In a **non-preemptive scheduler**,. once an object starts to be serviced, ... that costs
can be associated with the violation of the **deadline**. ...
webtp.eecs.berkeley.edu/publications/optimization.ps - Similar pages

[PS] 1 MOGAC: A Multiobjective Genetic Algorithm for Hardware-Software ...
File Format: Adobe PostScript - View as Text
Deadline = 15. **Deadline** = 23. **Deadline** = 10 ... A **deadline**, the time by which the
task ..... lems, a **non-preemptive scheduler** was sufcient to al- ...
www.lania.mx/~ccoello/EMOO/dick98.ps.gz - Similar pages

Class Notes for Operating Systems
A **non-preemptive scheduler** doesn't; The number of processes changes only for .....
tasks (there are a fixed set of **tasks**) so that each meets its **deadline**. ...
cs.nyu.edu/~gottlieb/courses/1999-00-fall/os/class-notes.html - 153k -
Cached - Similar pages

> Class Notes for Operating Systems
> A **non-preemptive scheduler** doesn't; The number of processes changes only for .....
> each meets its **deadline**. The run time of each **task** is known in advance. ...
> cs.nyu.edu/~gottlieb/courses/1999-00-spring/os/class-notes.html - 179k -
> Cached - Similar pages
> [More results from cs.nyu.edu]

[PS] Bounding the Power of Preemption in Randomized Scheduling
File Format: Adobe PostScript - View as Text
deadline. At all times the sum of the loads of the jobs in service on a given
processor ...... On the competitiveness of on-line real-time **task** scheduling. ...
www.ics.uci.edu/~irani/pubs/preemptsched_sicomp.ps - Similar pages

[PDF] Scheduling
File Format: PDF/Adobe Acrobat - View as HTML
video active all the time: so TS **tasks** (shell, X) not .... **Non-preemptive scheduler**
does not. •. What are we trying to optimize? ...
people.csa.iisc.ernet.in/vamsi/term1/os/4.ext.pdf - Similar pages

[DOC] Table of Contents:
File Format: Microsoft Word - View as HTML
Each **task** is characterized by a set of activation conditions, execution time, resources
that it has to access, and completion **deadline**. ...
vehicle.me.berkeley.edu/mobies/papers/etc_challenge_problem_8_6_01.doc -
Similar pages

[PS] Dynamic Scheduling and Fault-Tolerance: Specication and Verication
File Format: Adobe PostScript
Once allocated, a **non-preemptive scheduler** will let a **task** run to completion. ......
deadline, the higher its priority. Suppose every **task** requests a ...
run.iist.unu.edu/bitstream/repository/2120/2/report66.ps.gz - Similar pages

1 2   **Next**

"non-preemptive scheduler" deadline [Search]

<u>Search within results</u> | <u>Language Tools</u> | <u>Search Tips</u> | <u>Dissatisfied? Help us improve</u>